
2020 CATALOG

SUNFIELD

Agricultural Parts Manufacturer and Supplier







About us

SunField LLC Agricultural Machinery is in DFW, TX and manufacturing facilities are in China. We provide high-quality replacement parts for combines, cotton pickers, tractors, and other agricultural equipment, as well as full supply chain service. We are the manufacture with field supports on the ground.

The advantages of working with us

- High-quality products. We apply high standards of quality control procedures to ensure we offer the best products in the class to our customers.
- Wide products selection. For examples, more than 200 different sprockets for JD and CNH combines, corn head, and other equipment. We continue to add new products to our lines every year.
- Flexible order quantity. Flexibility is important to customers. Therefore, we don't require high MOQ! 50 PCS for any sprockets, even if to develop a new sprocket.
- Competitive cost. No extra layers between the manufactures and our customers.
- Full supply chain services, including, but not limited to,

New Product Development, Prototyping, Strategic Sourcing, Engineering, Customized Packaging, Vendor Management, International Logistic, and so on.



S/N	SunField No.	OEM NO.	Item Name	Picture	Applied brand or Replace	Description	Application or Replace	Demanded qty(pcs)
1	SF29001	84228488	Oil Filter		CNH	Outer diameter [mm]:93 Inner diameter 1 [mm]:62 Inner diameter 2 [mm]:70 Thread Size:M 27 X 2 Height [mm]:173	CASE Tractor:PUMA195/210/2 104/2304 New Holland Tractor: T6090-1654	
2	SF29002	84412164	Fuel filter		CASE	Outer diameter [mm]:93,5 Inner diameter 1 [mm]:62 Inner diameter 2 [mm]:70 Thread Size Exit:M 20 X 1.5 - 6H Height [mm]:191	CASE Tractor:PUMA195/210/2 104/2304	
3	SF29003	84278636	Fuel filter		CNH	Outer diameter [mm]:93,5 Inner diameter 1 [mm]:62,5 Inner diameter 2 [mm]:70 Thread Size Entry:M 14 X 2-6H Thread Size Exit:M 16 X 1.5 Height [mm]:182,5	CASE Tractor:PUMA195/210/2 104/2304 New Holland Tractor: T6090-1654	
4	SF29004	84170818	Fuel filter		CNH	Outer diameter [mm]:94 Inner diameter 1 [mm]:72 Inner diameter 2 [mm]:93 Thread Size Exit:M 16 X 1.5 - 6H Height [mm]:174	CASE Tractor:PUMA195/210/2 104 New Holland Tractor: T6090-1654	
5	SF29005	84226263	Hydraulic Filter		CNH	Outer diameter [mm]:116 Inner diameter 1 [mm]:63.1 Inner diameter 2 [mm]:70.2 Seal Diameter [mm]:70 Thread Size:1 3/8-12 UNF Height [mm]:295	CASE Tractor:PUMA195/210/2 104/2304 New Holland Tractor: T6090-1654	
6	SF29006	87708150	Hydraulic Filter		CNH	Outer diameter [mm]:146.7 Inner diameter 1 [mm]:108.5 Height [mm]:322.5	CASE Tractor:PUMA195/210/2 104/2304 New Holland Tractor: T6090-1654	
7	SF29007	87517153	Air filter		CASE	Outer diameter [mm]:282 Inner diameter [mm]:148 Height [mm]:315	CASE Tractor:PUMA195/210/2 104/2304	
8	SF29008	87517154	Air filter		CASE	Outer diameter [mm]:282 Inner diameter [mm]:148 Height [mm]:315	CASE Tractor:PUMA195/210/2 104/2304	
9	SF29009	336430A1	Fuel filter		CNH	Length [mm]:76 Width [mm]:76 Height [mm]:54	CASE Tractor:PUMA195/210/2 104/2304 New Holland Tractor: T6090- 1654	
10	SF29010	84167233	Fuel filter	Aug. Bertin andre	NH	Outer diameter [mm]:93,5 Inner diameter 1 [mm]:62 Inner diameter 2 [mm]:70 Thread Size Exit:M 20 X 1.5 - 6H Height [mm]:191	New Holland Tractor: T6090-1654	
11	SF29011	87683000	Air Filter		NH	Outer diameter [mm]:109 Inner diameter [mm]:88 Outer diameter 1 [mm]:102 Height [mm]:406	New Holland Tractor: T6090-1654	

S/N	SunField No.	OEM NO.	Item Name	Picture	Applied brand or Replace	Description	Application or Replace	Demanded qty(pcs)
12	SF29012	87704248	Air Filter		NH	Outer diameter [mm]:208 Inner diameter [mm]:106 Height [mm]:423	New Holland Tractor: T6090-1654	
13	SF29013	47715391	Hydraulic Filter		CASE	/	CASE Tractor:PUMA 2304	
14	SF29014	5.802E+09	Breather valve		CASE	1	CASE Tractor:PUMA 2104/2304	
15	SF29015	87304662	Breather filter	9 ,	CASE		CASE Tractor: PUMA 2104/2304	
16	SF29016	87726675	Filter, interior air (Heating / Ventilation		CASE	Length [mm]:550 Width [mm]:100 Height [mm]:63	CASE Tractor:PUMA 2104/2304	
17	SF29017	87726699	Filter, interior air (Heating / Ventilation	1	CASE	Length [mm]:380 Width [mm]:130 Height [mm]:50	CASE Tractor:PUMA 2104/2304	
18	SF29018	47833564	Hydraulic Filter		CASE	/	Case tractor: Magnum 3154	
19	SF29019	84487937/ RE174130	Hydraulic Filter	Rice for	CASE	Outer diameter [mm]:119 Height [mm]:362	Case tractor: Magnum 3154	
20	SF29020	1348335C1	Filter		CASE	/	Case tractor: Magnum 3154	
21	SF29021	84191182/ P622091	Air Filter		CASE	Height [mm]:236 Outer diameter 1 [mm]:396 Outer diameter 2 [mm]:279	Case tractor: Magnum 3154	
22	SF29022	87356547	Air Filter		CASE	Length [mm]:381 Width [mm]:241 Height [mm]:59	Case tractor: Magnum 3154	
23	SF29023	87684088/ AF55732	Air Filter		CASE	Outer diameter: 155.7mm Inner diameter: 65mm Height: 346.5mm	Case tractor: Magnum 3154	

S/N	SunField No.	OEM NO.	Item Name	Picture	Applied brand or Replace	Description	Application or Replace	Demanded qty(pcs)
24	SF29024	84565867	Oil Filter		CASE	Outer diameter [mm]:123 Inner diameter [mm]:42 Inner diameter 1 [mm]:38 Outer diameter 1 [mm]:123 Height [mm]:224.5	Case tractor: Magnum 3154	
25	SF29025	84283691	Fuel filter	The state of the s	CASE	Height: 7.039mm Bottom inner diameter: 660mm	Case tractor: Magnum 3154	
26	SF29026	5.801E+09	Fuel filter		CASE	Outer diameter [mm]:109 Inner diameter 1 [mm]:27.5 Outer diameter 1 [mm]:102 Height [mm]:162	Case tractor: Magnum 3154	
27	SF29027	RE504836	Oil Filter		JD	Outer diameter [mm]:94 Thread Size:M 92 X 2.5 Height [mm]:151	JD 854/954/1204	
28	SF29028	RE546336	Fuel filter		JD	Outer diameter [mm]:88.1 Outer diameter 1 [mm]:69.4 Height [mm]:154.3	JD 854/954/1204	
29	SF29029	RE544394	Fuel filter		JD	Outer diameter [mm]:88.2 Outer diameter 1 [mm]:69.4 Height [mm]:153.5	JD 854/954/1204	
30	SF29030	RE45864	Hydraulic Filter	****	JD	Outer diameter: 127mm Height: 173mm Sealing ring size: 125mm*117mm	JD 854	
31	SF29031	AL150288	Air Filter		JD	Length [mm]:298 Width [mm]:107 Height [mm]:40	JD 854/954/1204	
32	SF29032	AL172780	Air Filter		JD	Outer diameter [mm]:325.9 Inner diameter 1 [mm]:306 Height [mm]:183.5	JD 854/954/1204	
33	SF29033	SU52220	Fuel filter		JD		JD 1204	
34	SF29034	SJ11792	Hydraulic Filter		JD		JD 954/1204	
35	SF29035	AL177184	Filter		JD	Length: 590mm Width: 132mm Height: 83mm	6420s, 6020, 6030, 6030 STANDARD, 6100, 6110, 6120, 6130, 6130 STANDARD, 6200,	

S/N	SunField No.	OEM NO.	Item Name	Picture	Applied brand or Replace	Description	Application or Replace	Demanded qty(pcs)
36	SF29036	AL169573	Filter		JD	Length: 255mm	POWERTECH: 4.5L 4045 4.5 L 6.8L 6068 6.8 L TRACTOR: 6230 PREMIUM 6330	
37	SF29037	AL215054	Filter		JD		JOHN DEERE 6125M/6195M	
38	SF29038	AL215053	Filter		JD	. (JOHN DEERE 6125M/6195M	
39	SF29039	AL221066	Filter		JD	Outer diameter: 95.3mm Height: 161.1mm Thread: 1 3/8-12	50 Series 1350, 3350 6000 SE Series JOHN DEERE 6000	
40	SF29040	RE541925	Filter		JD	Outer diameter: 88.1mm Outer diameter1: 69.4mm Height: 197.7mm	Soring: 64EREF 6200 Serai M Seria 6M 6150 M, 6170 M Seria R Seria 6R	
41	SF29041	RE539279	Filter		JD	Height: 150.5mm Outer diameter1: 93mm Thread: M92X2,5	SCHNPLETREP Seria M Seria 6M 6150 M, 6170 M Seria R Seria 6R SCHNPLETREP 6170	
42	SF29042	AL156625	Filter		JD	Outer diameter: 97 mm, O-ring diameter: 70/63 mm , Length: 152 mm Thread: 1 3/8-12	50 Series 1350, 3350 6000 SE Series 6100 SE, 6200 SE, 6300 SE, 6400 SE	
43	SF29043	L214634	Filter		JD	Length: 211mm Width: 129mm Height: 40mm	6120, 6220 Tractors (Europe Edition) 6120, 6220 Tractors (North America Edition) 6230 Premium Tractors	
45	SF29044	1971728C1	Filter		CASE	Outer diameter: 121.67mm Height: 364.69mm Thread: 1 3/4-12 UN-2B	CASE 7130, 7250, 7140, 8910, 7150, 8920, 7210, 8930, 7220, 7110, 8940, 7230, 7120, 8950, 7240	
47	SF29045	AF55731	Filter		CASE	Overall Length: 544.449 mm (21.435 inch) Largest OD: 180.34 mm (7.1 inch) Largest ID: 62.484 mm (2.46 inch)	2144 (Combine - Axle Flow Series)2166 (Combine - Axle Flow Series)2188 (Combine - Axle Flow Series)2344	
48	SF29046	AF25595	Filter		CASE	in) End 2 OD: 326.3 mm (12.846 in) Largest OD: 326.3 mm (12.846 in) End 1 ID: 171.91 mm (6.768 in)	Holland, CASE IH / International Harvester, Donaldson Filters, Fleetguard, Hiff-Jurafil Filters, McCormick -	
49	SF29047	AF25596	Filter		CASE	Overall Height: 546 mm (21.496 in) End 2 OD: 171.5 mm (6.752 in) Largest OD: 175 mm (6.89 in) End 1 ID: 134 mm (5.276 in) 1.3KG/PC	2344 (Combine)2365 (Combine - Axle Flow Series)2366 (Combine - Axle Flow Series)2388 (Combine)5088 (50	

S/N	SunField No.	OEM NO.	Item Name	Picture	Applied brand or Replace	Description	Application or Replace	Demanded qty(pcs)
46	SF29048	84348883	Filter	(1)	NH	Outer diameter: 96mm Inner diameter1: 61mm Inner diameter2: 71mm Thread: M 14 X 1.5 Height: 200mm	T8.390/MX340/8010 Harvesting equipment: CR series tier 3: CR9040, CR9060, CR9070 TOCOTO HEAVI	
44	SF29049	C085004	Filter		VOLVO	CND pand ANE 21/mm	EQUIPMENT LOADER L110E - VOLVO D7D LABE2 DIESEL - 2002 VOLVO - HEAVY EQUIPMENT LOADER	
50	SF29050	P558000	Filter		Replace Donaldson	Outer Diameter: 3.66 Inches (93 MM) Thread Size: 1-14 UN Length: 7.68 Inches (195 MM) Gasket OD: 2.81 Inches (71 MM) Gasket ID: 2.42 Inches (61 MM) 0.46kg/pc?0.546KG/PC?0.50kg/	DONALDSON CUMMINS 3308638	
51	SF29051	P550440	Filter		Replace Donaldson	Outer Diameter: 2.99 Inches (76 MM) Thread Size: M16 x 1.5 Length: 4.72 Inches (120 MM) Gasket OD: 2.75 Inches (70 MM) Gasket ID: 2.37 Inches (60 MM) 0.467KG/PC	DONALDSON	
52	SF29052	P553000	Filter		Replace Donaldson	Outer Diameter: 4.65 Inches (118 MM) Thread Size: 2 1/4-12 UN Length: 11.70 Inches (297 MM) Gasket OD: 4.68 Inches (119 MM) Gasket ID: 4.00 Inches (102 MM) 1.64KG/PC	DONALDSON	
53	SF29053	P165876	Filter		Replace Donaldson	Outer Diameter: 5.08 Inches (129 MM) Thread Size: 1 1/2-16 UN Length: 10.66 Inches (270.7 MM) Gasket OD: 5.04 Inches (128 MM) Gasket ID: 4.76 Inches (120.9MM) 1.4KG/PC	DONALDSON	